

DISPOSABLE NITRILE GLOVES – BLUE

03/11/2021

DESCRIPTION

100% nitrile powder-free gloves. Made with an ultra-soft nitrile formulation for latex-like comfort.

Ambidextrous and straight fingers, finger textured for excellent grip, and the beaded cuff makes easier fitting.

FEATURES AND BENEFITS

- Strong
- Blue
- Powder Free Nitrile
- Ambidextrous
- More puncture resistant than latex and vinyl
- Protection against short term chemical and solvent contact

USES

Protection against short term chemical and solvent contact.

PRODUCT INFORMATION

Code	Size	Length	Width	Weight
GV12M	Medium	Min 240mm	90 - 100mm	5.2gm +/- 0.2
GV12L	Large	Min 240mm	100 - 110mm	5.7gm +/- 0.2
GV12XL	X Large	Min 240mm	110 - 120mm	6.2gm +/- 0.2
GV12XXL	XX Large	Min 240mm	120 - 130 mm	6.6gm +/- 0.2

TYPICAL PROPERTIES

Location of Thickness Measurement	Single Wall Thickness
Palm (at centre of palm)	Min 0.09mm
Fingertip (at 15mm from the extreme tip)	Min 0.14mm
Elongation (%)	Min 400

Manufacturing process in compliance with ISO 9001 & ISO 13485 Quality Management System.

STORAGE AND SHELF LIFE

Under normal storage condition, gloves shall have a shelf life of minimum 3 years from date of manufacture.

Temperature Range	Recommended storage temperature shall not exceed 40 degrees Celsius. Recommended temperature is between 20 to 25 degrees Celsius.
Humidity Range	Prolong storage humidity shall not exceed 50%.
Sunlight Effect	Keep away from sunlight. Sunlight could caused discolouration and long exposure could severely reduce physical properties of gloves.

FIRST AID / PRECAUTIONS IN USE

Complete details on each of the products mentioned are available on the product Safety Data Sheets. To ensure no harm is caused to persons using Glasscorp products, it is recommended that all concerned read the appropriate Safety Data Sheets. Visit www.glasscorp.co.nz for copies.

DISCLAIMER

This datasheet is for the general help of users. It is provided in good faith. The data is current and accurate to the best of our knowledge. Differing materials, substrates, environments, site conditions, and product storage, handling and application may affect results. Users should carry out tests to decide the product's suitability for purpose before use. This data sheet and the properties of the product may change without notice. Users, suppliers and retailers should check that the data sheets they have are the latest. To the maximum extent permitted by law, Glasscorp disclaims all warranties in relation to manufacture and use of the product. Glasscorp is not liable for representations made by users, suppliers or retailers about the product. Glasscorp is not liable for any loss or damage resulting from incorrect, careless, or negligent use or storage of the product, including use of the product contrary to the manufacturer's recommendations or out of date product. Any liability arising from use of the product is limited to the replacement or purchase price of the product. Glasscorp does not exclude rights and remedies that may not be excluded by law. If the product is supplied to a purchaser in trade or business relating to the product then by purchasing the product the parties agree that the provisions of the Consumer Guarantees Act do not apply to that supply. Sale of the product by Glasscorp is subject to the Glasscorp Limited Conditions and Terms of Sale. For more information on Glasscorp products, and conditions of use and sale visit www.glasscorp.co.nz

TECHNICAL ADVICE

Tel: 09 415 6338

sales@glasscorp.co.nz